IN THE CLAIMS

This listing of claims will replace the prior versions and listings of claims in the application.

1. (Original) An optical measurement system comprising a plurality of light irradiation portions, light from said light irradiation portions being irradiated onto a body to be inspected; and a plurality of detecting portions for detecting light from said body to be inspected, which further comprises:

a display portion for displaying box-shaped pictures for indicating positions of said irradiation positions or said detecting portions;

a display portion for displaying box-shaped pictures for indicating measurement positions located between said irradiation positions and said detecting portions; and

a function to detect that either of said irradiation

position or said detecting portion does not have a function of

irradiation or detection and to change the box-shaped picture

indicating one of said measurement positions corresponding to

said irradiation position and said detecting position.

- 2. (Original) An optical measurement method comprising:
- a process for indicating an irradiation position and a light detecting position;
- a process for indicating a measurement position and a states of allocating number to said measurement position; and
- a process for disposing said processes in a screen of a display portion.
- 3. (Currently Amended) An optical measurement system comprising on a screen:
 - a specifying portion for specifying a selected mode;
- a display portion means for displaying a number of
 measurement points; a display portion
- means for indicating a light irradiation position and a
 light detecting position;
- a measurement position display portion composed of portions means for displaying a measurement position and a states state of allocating a number to said measurement position;

a measurement display portion means for displaying
measuring time sequence data;
a portion means for setting a condition of acquiring
data;
a portion means for displaying a status of acquiring said
data;
an instruction portion means for instructing control of
measurement; and
a mark instruction portion means for marking a mark at a
position on said measurement instruction portion measuring time
sequence data.

4. (Currently Amended) An optical measurement system according to claim 3, wherein said portion means for setting a condition of acquiring data comprises a portion means for specifying and displaying a time interval of acquiring data by a light signal from a body to be inspected; a display portion means for indicating a number of for acquiring said data; and a display portion means for indicating an elapsing time of measuring said data.

- 5. (Currently Amended) An optical measurement system according to claim 3, wherein said instruction portion means for instructing control of measurement comprises a portion means for instructing initiating of measurement; a portion means for instructing completing of acquiring said data; and a portion means for instructing completing of measurement inspection.
- 6. (Currently Amended) An optical measurement system according to claim 3, wherein said measurement time sequence data display portion—is displayed largely and arranged so as to be—not overlapped with—overlap said measurement position display—portion, said portion for setting a—condition of acquiring data, said portion for displaying—display of a status of acquiring said data, said instruction portion—for instructing control of measurement and said mark instruction portion—for marking a mark at a position on said measurement instruction portion.
- 7. (Currently Amended) An optical measurement system comprising:

an instructing portion means for specifying a selected
mode;

a display portion means for displaying a number of measurement points;

a display portion means for indicating a light irradiation position and a light detecting position;

a measurement position display portion composed of portions means for displaying a measurement position and a states state of allocating a number to said measurement position; and

a display portion means for indicating a period during adjusting gain.

8. (Currently Amended) An optical measurement system comprising on a screen:

an instructing portion means for specifying a selected
mode;

a display portion means for displaying a number of
measurement points;

a display portion means for indicating alight irradiation
position and a light detecting position;

a measurement position display portion composed of portions means for displaying a measurement position and a states state of allocating a number to said measurement position; and

means for displaying an abnormality displaying portion.

- 9. (Currently Amended) An optical measurement system according to claim 8, wherein said means for displaying an abnormality displaying portion comprises an instruction portion for completing means for instructing completion of an operation in progress under progressing; an instruction portion means for instructing gain adjustment again; and an instruction portion means for instructing to continue the operation by neglecting occurrence of an the abnormality.
 - 10. (Canceled).
- 11. (Currently Amended) An optical measurement system comprising:
- a specifying portion means for specifying a selected
 mode;

a display portion means for displaying a number of
measuring times of measurement points;

a display portion means for indicating a light irradiation position and a light detecting position;

a measurement position display portion composed of portions means for displaying a measurement position and a states state of allocating a number to said measurement position;

a measurement display portion means for displaying measuring time sequence data; a portion

means for setting a condition of acquiring data;

a portion means for displaying a status of acquiring said data;

an_instruction portion means for instructing control of
measurement;

<u>a mark instruction portion means</u> for marking a mark at a position on said measurement instruction portion measuring time sequence data; and

means for providing a tentative measurement instruction display portion by actual signals.

- 12. (Currently Amended) An optical measurement system according to claim 11, wherein said means for providing a tentative measurement instruction display portion comprises at least an instruction portion means for instructing a magnification of a graph.
- 13. (Currently Amended) An optical measurement system comprising:
- a portion means for setting a condition of acquiring data;
- a portion means for displaying a status of acquiring said data;
- an instruction portion means for instructing control of
 measurement;
- a mark instruction portion means for marking a mark at a position on said on an instruction control of measurement instruction portion; and
 - a display means for displaying a condition input portion.
- 14. (Currently Amended) An optical measurement system according to claim 13, wherein said display means for

<u>displaying a condition input portion</u>—comprises a <u>setting</u>

<u>portion means</u> for setting a display magnification and a display time.

15. (Canceled)

16. (Previously Presented) An optical measurement system comprising functions of:

performing an initial display for selectively instructing anyone of selection of optical measurement, analysis of said optical measurement result and completion of a program;

inputting items of condition including a measurement mode;

displaying a state expressing relationship among light irradiation positions and light detection positions and measurement positions so as to meet said mode;

instructing to form a file for storing said optical measurement result; instructing a measurement condition to detect light signals from the inside of a body to be inspected which is irradiated by a multi-wavelength multi-channel; and

displaying said signals for each channel detected according to said instructing results.

- 17. (Canceled).
- 18. (Canceled).
- 19. (Canceled).
- 20. (New) An optical measurement according to claim 3, further comprising means for specifying a selected mode.